

# VACHOSE Hoses



Tel: +44 (0) 1274 550500  
Fax: +44 (0) 1274 550501  
Email: [sales@aerovac.com](mailto:sales@aerovac.com)  
Website: [www.aerovac.com](http://www.aerovac.com)

- High tear strength, durable silicone rubber hoses.
- Specially formulated silicone compound allows many hours of life at temperatures of up to 200°C in both oven and autoclave conditions.
- Reinforced internally with a spring to eliminate potential collapse at high pressures.
- Specifically designed brass ends are bonded in place to allow attachment of non return couplings.
- Easily repaired in house or by Aerovac.

## SPECIFICATION

- Maximum use temperature
- Standard colour
- Operating pressure
- Termination threads

200°C. Hoses will operate at higher temperatures (up to 250°C) but this will result in a shorter life  
Blue  
Other colours available to order  
Up to 170psi  
¼" BSP male threaded ends are standard

## AVAILABILITY & PACKAGING

- Standard internal diameter
- Standard external diameter
- Standard lengths

7.9mm  
Other sizes available to order  
18mm  
Other sizes available to order  
1m, 2m, 3m, 4m  
Any length can be supplied within 48 hours.  
(All hoses can be constructed with 90° elbow fittings, on one or both ends as required.)

## STORAGE & HANDLING

- No special requirements.
- Handling of these products must conform to individual company guidelines and health and safety regulations.

Aerovac Systems Ltd <a href="http://www.aerovac.com">www.aerovac.com</a>	Aerovac Systems Italy S.r.l <a href="http://www.aerovac.it">www.aerovac.it</a>	Aerovac Systèmes France <a href="http://www.aerovac.fr">www.aerovac.fr</a>	Richmond Aircraft Products <a href="http://www.richmondaircraft.com">www.richmondaircraft.com</a>
---	---	---	--

Aerovac Systems Ltd.

All statements, technical information and recommendations contained in this publication are based on tests believed to be reliable, but their accuracy and/or completeness are not guaranteed. The user shall determine the suitability for this particular purpose and shall assume all risk and liability in connection herewith. All values stated are nominal. For further details about tolerances please contact Aerovac Systems quality department.

Revised: February 2010