

AB10060

Breather fabric



Tel: +44 (0) 1274 550500
Fax: +44 (0) 1274 550501
Email: sales@aerovac.com
Website: www.aerovac.com

- A medium weight polyester breather fabric with excellent all round stretch and drapeability.
- Effective for use in conjunction with components containing complex curvatures or acute radii.
- Can be used effectively in single or multiple layers.

PHYSICAL PROPERTIES

- Maximum cure temperature 205°C
- Colour White or grey
Other colours available
- Fibre 100% polyester
Also available in synthetic fibres
- Weight 150g/m²

Note: AB10060 has no release characteristics and should be separated from the laminate by a suitable porous release fabric or film. AB10060 is not intended to be used as a breather material alone in high pressure autoclave cures.

AVAILABILITY & PACKAGING

- Standard widths 0.76m, 1.52m
Available up to 6m wide to order
- Standard length 100m
- Cut shapes/slit widths Available to order
- Packaging Heavy gauge polyethylene with red text
Wound on 76mm diameter cores

STORAGE & HANDLING

- No special storage conditions required.
- No skin irritation problems experienced.
- Handling of these products must conform to individual company guidelines and health and safety regulations.

Aerovac Systems Ltd www.aerovac.com	Aerovac Systems Italy S.r.l. www.aerovac.it	Aerovac Systèmes France www.aerovac.fr	Richmond Aircraft Products www.richmondaircraft.com
---	--	---	--

Aerovac Systems Ltd.

All statements, technical information and recommendations contained in this publication are based on tests believed to be reliable, but their accuracy and/or completeness are not guaranteed. The user shall determine the suitability for this particular purpose and shall assume all risk and liability in connection herewith. All values stated are nominal. For further details about tolerances please contact Aerovac Systems quality department.

Revised: February 2010