VAC-PLY COMBI 1

Combination product

Ideally suited to infusion applications

Features and Benefits

- Perforated release film combined with knitted infusion mesh and peel ply.
- Strips after in two ways either all three layers or just the release film and mesh leaving the peel ply as temporary protection for the laminate surface.
- Reduces layup time and complexity.
- More conformable than traditional cast grid meshes.
- Easily tailored to complex parts.

PROPERTIES

Maximum use temperature	120°C	248°F
Color	Blue mesh, red release film and white with pin stripes peel ply	
Fiber	Polyethylene (PE) and Nylon (PA)	
Weight	235g/m²	6.93oz/yd²

AVAILABILITY

Width	Up to 1.45m	Up to 1.59yd
Length	Up to 100m	Up to 109yd

STORAGE

No special storage conditions required but we recommend the product be stored in its original packaging.

HEALTH & SAFETY

Please refer to the product SDS for safe handling, personal protective equipment recommendations and disposal considerations.

DISCLAIMER: The data and information provided in this document have been obtained from carefully controlled samples and are considered to be representative of the product described. Aerovac does not express or imply any guarantee or warranty of any kind including, but not limited to, the accuracy, the completeness or the relevance of the data and information set out herein. Because the properties of this product can be significantly affected by the fabrication and testing techniques employed, and since Aerovac does not control the conditions under which its products are tested and used, Aerovac cannot guarantee the properties provided will be obtained with other processes and equipment. No guarantee or warranty is provided if the product is adapted for a specific use or purpose. Aerovac declines any liability with respect to the use made by any third party of the data and information contained herein. Aerovac. All rights reserved.

Aerovac 955-10 National Parkway Schaumburg, IL 60173 USA

TDS VP COMBI 1_10.22_Issue1

